





Vanuatu Meteorology and Hydro-Meteorological Service

Seasonal Forecast(Sep~Nov)

ENSO AlertSystem



The APCC ENSO Alert indicates that El Niño is currently active.

Provincial climate outlooks are as follows:

Sanma Province: Temperatures and rainfall are expected to remain mostly near normal, close to normal climate.

Torba Province: Temperature and rainfall are expected to remain mostly near normal, close to normal climate.


Penama Province: Temperatures and rainfall are expected to remain mostly near normal, close to normal climate.

Malampa Province: Temperatures and rainfall are expected to remain mostly near normal, close to normal climate.

Shefa Province: Temperatures and rainfall are expected to remain mostly near normal, close to normal climate.

Tafea Province: Temperature and rainfall are expected to remain mostly near normal, close to normal climate.

Drought Monitoring



Moon blog September kasem October 2026

Fes Kwata	Ful Moon	Las Kwata	Niu Moon
19 September	27 September	4 October	11 October
19 October	26 October		

VANUATU AGROMET BULLETIN


Climate Smart Recommendations for Crop Cultivation

Yield(t/ha) ... Past 10-year avg - Past 5-year avg = Last year avg

Best Crop Planting Week

Blue bars indicate the optimal week for crop planting.

Compare the expected yield to monthly yield averages of the past performances (past 10-year, 5-year, and last-year average)



There is recommended weeks for crop planting to the side.

According to the crop model based forecast, planting cassava during the forth week of September in Tafea is projected to highest yield across the country. Yield is higher than last year, higher than the 10-year and 5-year average yield.

Farming Advisory

Nutrient Stress (applicable to all seasons for all crops)

- Apply compost. Incorporate organic matters into the soil
- Apply organic mulch around the crop. Mulching helps conserve moisture, suppress weed growth, and it gradually release nutrients into the soil as the organic matter decomposes
- Practice crop rotation (e.g Mucuna-Taro rotation) and intercropping to enhance nutrient cycling and reduce the risk of nutrient depletion.

Water Stress

- Apply mulch around the crop after planting or plant directly in mulch to reduce moisture loss from the soil and regulate soil temperature.


More information can be found in the 'Decision Tree-based Advisory' tab under 'Farming Advisory' menu on OSCAR (oscar.gov.vu)

VANUATU AGROMET BULLETIN

Climate Smart Recommendations for Crop Cultivation

Predicted Yield in September

Yield(t/ha) Past 10-year avg Past 5-year avg Last year avg



- Above are the predicted crop yield in September.
- Tafea is projected to highest Taro fresh yield, reaching 10 ton/ha. Yield is lower than last year, lower than the 10-year and 5-year average yield.
- Sanma is projected to highest Cassava fresh yield, reaching 33 ton/ha. Yield is lower than last year, lower than the 10-year and higher than the 5-year average yield.

* Please note that the crop yield forecasts provided in these Agromet Bulletins are based on crop models, and may differ from actual results due to various factor.

While every effort has been made to ensure the accuracy of the forecasts, they are subject to inherent uncertainties and may not always be accurate or reflect actual crop yields. Actual crop yields may differ from the forecasted values due to a variety of factors including but not limited to: disease outbreaks, pest infestation, and management practices. Therefore, this information is intended for guidance purposes only and should not be relied upon as a guarantee of actual crop yields.

CONTACTEM MIFALA

Department of Agriculture & Rural Development PMB 9040

Tel: (678) 33550

Email: Pieo@vanuatu.gov.vu

Vanuatu Meteorological & Geo-Hazards Department PMB 9054

Tel: (678) 24686

Email: climate@meteo.gov.vu

Supported by



GREEN
CLIMATE
FUND



Powered by

OSCAR